

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
22 July 2004 (22.07.2004)

PCT

(10) International Publication Number  
**WO 2004/060876 A1**

(51) International Patent Classification<sup>7</sup>: **C07D 217/02**

(21) International Application Number:  
PCT/JP2003/016933

(22) International Filing Date:  
26 December 2003 (26.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
NO. 2003-001208 7 January 2003 (07.01.2003) JP  
NO. 2003-422958  
19 December 2003 (19.12.2003) JP

(71) Applicant (for all designated States except US): CANON  
KABUSHIKI KAISHA [JP/JP]; 3-30-2, Shimomaruko,  
Ohta-ku, Tokyo 146-8501 (JP).

(72) Inventor; and

(75) Inventor/Applicant (for US only): MUKAIDE, Taihei  
[JP/JP]; c/o CANON KABUSHIKI KAISHA, 3-30-2, Shi-  
momaruko, Ohta-ku, Tokyo 146-8501 (JP).

(74) Agents: OKABE, Masao et al.; No. 602, Fuji Bldg., 2-3,  
Marunouchi 3-chome, Chiyoda-ku, Tokyo 100-0005 (JP).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR,  
CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,  
GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR,  
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN,  
MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU,  
SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,  
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (BW, GH,  
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,  
SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA,  
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: MICROPOROUS STRUCTURE OF AN ORGANIC METAL COMPLEX

(57) Abstract: A porous structure includes an organic metal complex represented by the following general formula (1):  $M \cdot EL(A, B)_3$   
(1) (where M represents a metal atom; L (A, B) represents a ligand constituted of A and B; and A and B respectively represent cyclic  
groups which may have or may not have one or more substituents).

## DESCRIPTION

## MICROPOROUS STRUCTURE OF AN ORGANIC METAL COMPLEX

## 5 TECHNICAL FIELD

The present invention relates to a technical field of a zeolite which is a porous body, and more particularly to a microporous structure (organic zeolite) made of an organic metal complex.

10

## BACKGROUND ART

In recent years, various porous materials have attracted attention. The porous body is classified into three types: a microporous body having a pore size of 2 nm or less; a mesoporous body having a pore size of 2 to 50 nm; and a macroporous body having a pore size of 50 nm or more. A zeolite belonging to the microporous body is a porous crystalline aluminosilicate formed from a three-dimensional mesh structure of a  $\text{TO}_4$  tetrahedral body (where T represents silicon or aluminum). Further, recently, an organic zeolite having pores formed by a network of an organic compound containing a metal has attracted attention. The organic zeolite generally has a lower density than that of the zeolite. Accordingly, the organic zeolite is a lightweight material and can be readily recovered or reused using

a solvent. Thus, as a high-performance material substitutive for the zeolite, the organic zeolite has been highly expected as being capable of applying to a gas storage material, a gas sensor, or the like.


5

#### DISCLOSURE OF THE INVENTION

The present invention provides a microporous structure including an organic metal complex molecule, containing a metal atom in its center.

10

More specifically, the present invention provides a porous structure comprising an organic metal complex represented by the following general formula (1):




15

(where M represents a metal atom; L (A, B) represents a ligand comprised of A and B; and A and B respectively represent cyclic groups which may have or may not have one or more substituents).


20

Further, the present invention provides a porous structure as mentioned above, in which the general formula (1) is represented by the general formula (2):



(where M represents a metal atom; A and B respectively represent cyclic groups which may have or may not have one or more substituents, in which the substituent is a halogen atom, a nitro group, a trialkylsilyl group (in which alkyl groups are linear or branched alkyl groups having 1 to 8 carbon atom(s) independently of one another), or a linear or branched alkyl group having 1 to 20 carbon atom(s) (in which one methylene group or two or more methylene groups not adjacent to each other in the alkyl group may be substituted for -O-, -S-, -CO-, -CO-O-, -O-CO-, -CH=CH- or -C≡C-, and a hydrogen atom in the alkyl group may be substituted for a fluorine atom)).

The present invention provides a porous structure as mentioned above, characterized in that the porous structure has a three-dimensional structure of a facial isomer represented as the following structure.



The present invention provides a porous structure as mentioned above, in which at least one of the cyclic groups A and B bonded to the metal atom

5 M in the general formula (1) is one selected from the group consisting of pyridine, pyrimidine, pyrazoline, pyrrole, pyrazole, quinoline, isoquinoline, imidazole, quinone, benzoazepin, catechol, phenol, phenyl, naphthyl, thienyl, benzothienyl, quinolyl,

10 phenothiazine, benzothiazole, benzoxazole, and benzoimidazole.

The present invention provides a porous structure as mentioned above, in which the metal atom M in the general formula (1) is Ir.

15 The present invention provides a method of manufacturing a porous structure, characterized by including: a step of dissolving an organic metal complex represented by the general formula (1) in a solvent to obtain a solution; a step of precipitating

20 the organic metal complex from the solution to form the porous structure; and a step of removing the solvent in the porous structure.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagram showing a three-dimensional structure of iridium (III) tris(1-phenylisoquinoline) given by a single crystal X-ray structure analysis.

5        FIG. 2 is a diagram showing an arrangement of iridium (III) tris(1-phenylisoquinoline) in a unit lattice.

FIG. 3 is a diagram showing an arrangement of iridium (III) tris(1-phenylisoquinoline) in a unit  
10    lattice.

FIG. 4 is a diagram showing an arrangement of iridium (III) tris(1-phenylisoquinoline) in arranged unit lattices.

FIG. 5 is a diagram showing a powder X-ray  
15    diffraction pattern of iridium (III) tris(1-phenylisoquinoline).

FIG. 6 is a diagram showing a powder X-ray diffraction pattern of iridium (III) tris(1-phenylisoquinoline) at room temperature and at a high  
20    temperature.

## BEST MODE FOR CARRYING OUT THE INVENTION


The present invention will be described in detail hereinafter.

25        A synthesis procedure of an organic metal complex compound represented by the above general formula (2) and used in the present invention is

shown below using an iridium complex compound as an example.

Synthesis of a ligand L (reference document: Kevin R. et al., Org. Lett., 1999, 1, 553-556):


5



Synthesis of an iridium ligand compound:




OR



The obtained compound was dissolved in a solvent and then precipitated, to yield a porous structure. In examples, a single crystal X-ray diffraction was conducted using RINT-RAPID, manufactured by Rigaku Denki Co.. A pore size was obtained from the crystal structure analysis and powder X-ray diffraction determination was conducted using X' Pert-PRO, manufactured by Philips Co..

#### Example


An organic metal complex compound represented by the general formula (1) where A represents a phenyl group and B represents an isoquinoline group, was synthesized in the following procedure.



69.3 g of isoquinoline N-oxide (448 mmole) available from Tokyo Kasei Co. and 225 ml of chloroform were introduced into a 1L-three-neck flask




to dissolve therein. Then, 219.6 g (1432 mmole) of phosphorous oxychloride was slowly dropped therein and stirred under ice-cooling while maintaining the inner temperature at 15 to 20°C. Thereafter, the temperature was raised, and the mixture was stirred under reflux for 3 hours. The reaction product was left to cool to room temperature, followed by pouring the resultant into an ice water. The mixture was extracted with ethyl acetate, an organic layer was washed with water till it showed neutral pH, and then the solvent was removed under reduced pressure. The residue was purified using silica gel column chromatography (eluent: chloroform/hexane: 5/1), to yield 35.5 g of a white crystal of 1-chloroisoquinoline (44.9% yield).



3.04 g of phenylboronic acid (24.9 mmole) and 4.09 g of 1-chloroisoquinoline (25.0 mmole), 25 ml of toluene, 12.5 ml of ethanol, and 25 ml of 2M-sodium carbonate aqueous solution were introduced into a 100 ml-three-neck flask. With stirring at room temperature under a nitrogen gas flow, 0.98 g (0.85 mmole) of tetrakis-(triphenylphosphine) palladium (0) was added to the mixture. Thereafter, the resultant was stirred under reflux under a nitrogen gas flow

for 8 hours. After the reaction, the reaction product was cooled, and then added with ice water and toluene to extract the organic layer. The organic layer was washed with saline and dried with magnesium sulfate, and then the solvent was removed under reduced pressure. The residue was purified using silica gel column chromatography (eluent: chloroform/methanol: 10/1), to yield 2.20 g of 1-phenylisoquinoline (43.0% yield).



50 ml of glycerol was introduced into a 100 ml-four-neck flask, and then stirred and heated at 130 to 140°C for 2 hours with bubbling a nitrogen gas. The glycerol was left to cool to 100°C, and then added with 1.03 g (5.02 mmole) of 1-phenylisoquinoline and 0.50 g (1.02 mmole) of iridium (III) acetylacetonate. The reaction mixture was stirred and heated for 7 hours at around 210°C under the nitrogen gas flow. After being left to cool to room temperature, the reaction product was added to 300 ml of 1N-hydrochloric acid, and the precipitate was filtrated and then washed with water. The

precipitate was purified using silica gel column chromatography with chloroform used as an eluent, to yield 0.22 g of a red powder of iridium (III) tris(1-phenylisoquinoline) (26.8% yield).

5           For preparing a single crystal, 1.5 mg of purified iridium (III) tris(1-phenylisoquinoline) powder was first dissolved in 15 ml of chloroform at room temperature. Then, ethanol was poured till saturation, and the solution was filtrated to obtain  
10 a saturated solution. The solvent in the saturated solution was evaporated gently under an isothermal condition, to yield a single crystal in the form of red needle crystal. A sample obtained by drying at 100°C for 3 hours was used for a single crystal X-ray  
15 structure analysis. The single crystal X-ray structure analysis was conducted as follows: the single crystal in liquid paraffin was scooped up with a sample fixing element, and measured while being cooled to 100 K with cooled nitrogen. The crystal  
20 structure data obtained by the single crystal X-ray structure analysis is shown in Tables 1 to 3. Parameters shown in the tables are represented in units generally adopted by those skilled in the art. Those units are described in more detail in the  
25 following document: International Tables for X-ray Crystallography, Vol. IV, pp. 55, 99, 149.

Table 1

Single crystal X-ray structure analysis of iridium  
(III) tris(1-phenylisoquinoline) (crystal parameters)

Crystal size(mm)	0.05×0.05×0.05
Unit lattice size (Å)	a=16.4781(7) Å
	b=16.4781(7) Å
	c=15.9151(8) Å
	$\alpha=90^\circ$
	$\beta=90^\circ$
	$\gamma=120^\circ$
	V=3742.4(3) Å <sup>3</sup>
Space group	P-3c1
Molecular/Unit lattice	Trigonal system 4
Calculated density(g/cm <sup>3</sup> )	1.429

Table 2

Atomic coordinates and isotropic temperature factor  
( $\text{\AA}^2$ )

Atom	x	y	z	Beq
Ir(1)	0.6667	0.3333	0.38699(2)	1.109(5)
N(1)	0.6162(4)	0.2081(3)	0.4593(3)	1.26(9)
C(1)	0.5589(4)	0.1861(4)	0.5284(4)	1.4(1)
C(2)	0.5388(4)	0.1127(4)	0.5793(4)	1.5(1)
C(3)	0.5867(4)	0.0615(5)	0.5672(4)	1.7(1)
C(4)	0.5773(5)	-0.0095(5)	0.6248(4)	2.0(1)
C(5)	0.6304(5)	-0.0508(5)	0.6155(4)	2.4(1)
C(6)	0.6963(5)	-0.0234(5)	0.5511(5)	2.2(1)
C(7)	0.7062(5)	0.0439(5)	0.4929(4)	1.9(1)
C(8)	0.6480(4)	0.0847(4)	0.4976(4)	1.7(1)
C(9)	0.6527(4)	0.1541(4)	0.4389(4)	1.4(1)
C(10)	0.7001(4)	0.1773(4)	0.3560(4)	1.4(1)
C(11)	0.7189(4)	0.1154(4)	0.3105(4)	1.5(1)
C(12)	0.7640(5)	0.1433(5)	0.2334(4)	1.7(1)
C(13)	0.7895(5)	0.2306(5)	0.2007(3)	1.6(1)
C(14)	0.7650(4)	0.2898(4)	0.2428(4)	1.4(1)
C(15)	0.7178(5)	0.2643(5)	0.3219(4)	1.6(1)
H(1)	0.5330(4)	0.2247(4)	0.5414(4)	1.6(2)
H(2)	0.4932(4)	0.0953(4)	0.6224(4)	1.6(2)
H(3)	0.5339(5)	-0.0276(5)	0.6698(4)	2.3(2)
H(4)	0.6222(5)	-0.0987(5)	0.6536(4)	2.8(2)
H(5)	0.7350(5)	-0.0508(5)	0.5472(5)	2.8(2)
H(6)	0.7518(5)	0.0628(5)	0.4496(4)	2.3(2)
H(7)	0.7016(4)	0.0556(4)	0.3331(4)	1.7(2)
H(8)	0.7764(5)	0.1014(5)	0.2025(4)	2.1(2)
H(9)	0.8252(5)	0.2514(5)	0.1504(3)	1.9(2)
H(10)	0.7788(4)	0.3479(4)	0.2182(4)	1.7(1)

Table 3  
Anisotropic temperature factor ( $\text{\AA}^2$ )

Atom	U11	U22	U33	U12	U13	U23
Ir(1)	0.0158(1)	0.0158(1)	0.0106(1)	0.00790(6)	0.0000	0.0000
N(1)	0.017(3)	0.016(2)	0.015(2)	0.009(2)	-0.004(2)	-0.006(2)
C(1)	0.019(3)	0.016(3)	0.016(3)	0.007(2)	-0.002(2)	-0.002(2)
C(2)	0.016(3)	0.019(3)	0.016(2)	0.005(2)	0.000(2)	-0.001(2)
C(3)	0.016(3)	0.021(3)	0.024(3)	0.006(3)	-0.001(3)	0.001(3)
C(4)	0.027(3)	0.024(3)	0.022(3)	0.011(3)	0.004(3)	0.004(3)
C(5)	0.034(4)	0.024(3)	0.029(3)	0.011(3)	0.001(3)	0.004(3)
C(6)	0.038(4)	0.023(3)	0.029(3)	0.019(3)	-0.003(3)	0.003(3)
C(7)	0.022(3)	0.026(3)	0.024(3)	0.012(3)	0.001(3)	0.001(3)
C(8)	0.018(3)	0.017(3)	0.022(3)	0.003(2)	-0.002(3)	0.004(3)
C(9)	0.020(3)	0.016(3)	0.017(3)	0.007(2)	-0.004(2)	0.001(2)
C(10)	0.019(3)	0.020(3)	0.013(2)	0.008(3)	0.002(2)	-0.000(2)
C(11)	0.020(3)	0.016(3)	0.018(3)	0.008(2)	-0.003(2)	-0.003(2)
C(12)	0.024(3)	0.024(3)	0.019(3)	0.014(3)	0.002(3)	-0.005(3)
C(13)	0.021(4)	0.025(4)	0.014(2)	0.011(3)	0.002(3)	0.000(3)
C(14)	0.020(3)	0.021(3)	0.012(2)	0.010(2)	-0.005(2)	-0.002(2)
C(15)	0.020(4)	0.026(4)	0.019(2)	0.014(3)	0.000(3)	0.003(3)

FIG. 1 to FIG. 4 are diagrams where the atomic coordinates obtained by the X-ray structure analysis shown in Tables 1 to 3 are plotted. As apparent from FIG. 1, iridium (III) tris(1-phenylisoquinoline) was a facial isomer. FIG. 4 is a diagram showing a structure of the unit lattices arranged. As apparent from FIG. 4, pore structures existed regulatively in the crystal structure. The pore size was approximately 8 Å, and the calculated porosity was about 21%.

The red powder of iridium (III) tris(1-phenylisoquinoline) dried at 100°C for 3 hours was subjected to the determination by the powder X-ray diffraction method. The powder X-ray diffraction data is shown in FIG. 5. It was confirmed from the obtained diffraction peak that the crystal structure of the powder was similar to that of the single crystal. To obtain the knowledge about a thermal stability of iridium (III) tris(1-phenylisoquinoline), the red powder of iridium (III) tris(1-phenylisoquinoline) dried for 3 hours was subjected to a determination of in-situ observation at around 200°C by a high-temperature X-ray diffraction method. FIG. 6 shows powder X-ray diffraction data obtained at room temperature and 200°C. As shown in FIG. 6, the structure was kept stable even at 200°C.


The substance of the above zeolite structure

was considered to have functions such as selective capture and permeation of substances, thereby achieving functions of a separation material, a storage material, etc. Moreover, by arranging  
5 specific substances in pores of the zeolite, it is possible to develop a new optical/magnetic/electronic material, which expresses specific optical/magnetic/electronic characteristics.




## CLAIMS

1. A porous structure comprising an organic metal complex represented by the following general formula (1):



(where M represents a metal atom; L (A, B) represents a ligand comprised of A and B; and A and B respectively represent cyclic groups which may have or may not have one or more substituents).


10 2. A porous structure according to claim 1, wherein the general formula (1) is represented by the general formula (2):



(where M represents a metal atom; A and B respectively represent cyclic groups which may have or may not have one or more substituents, in which the substituent is a halogen atom, a nitro group, a trialkylsilyl group (in which alkyl groups are linear or branched alkyl groups having 1 to 8 carbon atom(s) independently of one another), or a linear or branched alkyl group having 1 to 20 carbon atom(s) (in which one methylene group or two or more

methylene groups not adjacent to each other in the alkyl group may be substituted for -O-, -S-, -CO-, -CO-O-, -O-CO-, -CH=CH- or -C≡C-, and a hydrogen atom in the alkyl group may be substituted for a fluorine atom)).

3. A porous structure according to claim 1, wherein the porous structure has a three-dimensional structure of a facial isomer represented as the following structure.




4. A porous structure according to claim 1, wherein at least one of the cyclic groups A and B bonded to the metal atom M in the general formula (1) is one selected from the group consisting of pyridine, pyrimidine, pyrazoline, pyrrole, pyrazole, quinoline, isoquinoline, imidazole, quinone, benzoazepin, catechol, phenol, phenyl, naphthyl, thienyl, benzothienyl, quinolyl, phenothiazine, benzothiazole, benzoxazole, and benzoimidazole.

5. A porous structure according to claim 1, wherein the metal atom M in the general formula (1) is Ir.


6. A method of manufacturing a porous structure,

characterized by comprising: a step of dissolving an organic metal complex represented by the general formula (1) in a solvent to obtain a solution; a step of precipitating the organic metal complex from the solution to form the porous structure; and a step of removing the solvent in the porous structure:




(where M represents a metal atom; L (A, B) represents a ligand comprised of A and B; and A and B respectively represent cyclic groups which may have or may not have one or more substituents).


1 / 5

*FIG. 1*

2/5


*FIG. 2*

3 / 5



*FIG. 3*

4/5

*FIG. 4*



5/5

*FIG. 5**FIG. 6*



# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/03/16933

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07D217/02

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07D

Documentation searched other than: minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 790 253 A (NALCO CHEMICAL COMPANY) 20 August 1997 (1997-08-20) claims	1
A	EP 1 245 659 A (SUMITOMO CHEMICAL COMPANY, LTD.) 2 October 2002 (2002-10-02) * complete document *	1
A	US 2002/048689 A1 (TASUYA IGARASHI ET AL.) 25 April 2002 (2002-04-25) * complete document *	1

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \* & \* document member of the same patent family

Date of the actual completion of the international search

4 May 2004

Date of mailing of the international search report

12/05/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Van Bijlen, H

# INTERNATIONAL SEARCH REPORT

information on patent family members

International application No

PCT/JP03/16933

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 790253	A	20-08-1997	US 5648508 A	15-07-1997
			DE 69619093 D1	21-03-2002
			DE 69619093 T2	05-09-2002
			DE 790253 T1	19-02-1998
			EP 0790253 A2	20-08-1997
EP 1245659	A	02-10-2002	EP 1245659 A1	02-10-2002
			JP 2003171659 A	20-06-2003
			SG 92833 A1	19-11-2002
			US 2002193532 A1	19-12-2002
US 2002048689	A1	25-04-2002	JP 2002170684 A	14-06-2002

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**